

DEVELOPMENT AND MANAGEMENT COMPANY

Request for Quotation

Sub: <u>REQUEST FOR QUOTATION (RFQ) FOR SUPPLY OF STORE MATERIAL FOR O&M AND</u>

NEW ELECTRICITY CONNECTIONS AT BHALWAL INDUSTRIAL ESTATE.

Punjab Industrial Estates Development and Management Company (PIEDMC) is a company set up under section 42 of the Companies Act 2017, owned by the Government of the Punjab with Public Private Partnership, to facilitate and accelerate the industrial growth of Punjab, Pakistan.

PIEDMC intends to procure Electrical Stores as per list below and specification attached:

Sr #	Description	Unit	Quantity	Unit Price(Rs)	Amount (Rs)
1	Termination Kits (15KV Make Reychem				
	Germany/Elastimold/3M)				
	1c-500 mm2 (Indoor)	No.	6		
	3c-120 mm2 (Indoor)	No.	6		
	3c-120 mm2 (Outdoor)	No.	5		
2	Straight Throug Joint(15KV Make Reychem Germany/Elastimold/3M)				
	1c-500 mm2 (HT)	No.	5		
	3c-120 mm2 (HT)	No.	3		
	1c-240 mm2 (LT)	No.	5		
	1c-16 mm2 (LT)	No.	3		
3	Jacket Sleeve				
	1c-500 mm2	Ft.	5		
	3c-120 mm2	Ft.	5		
	1c-240 mm2	Ft.	5		
4	Over Head Hardware(WAPDA APPROVED)				
	Earthing Rod	No.	5		
	Earthing Wire 70mm.sq	Mtr.	30		
	Earth U-Clamp	No.	10		
	Stay Rod	No.	0		
	PG Clamp T-220	No.	10		
	T-Strain clamp	No.	10		
5	SS Nut Bolt With Spring Washer				
	10X50 mm	No.	50		
	10X35mm	No.	50		
	6X60mm	No.	50		
	6X30mm	No.	50		
6	Street Light				
	Magnatic Contactor (40Amp)	No.	3		
	Photo cell 230V (3Amp)	No.	5		
	Breaker 40A Single pole	No.	10		
7	Cable TIE				





DEVELOPMENT AND MANAGEMENT COMPANY

	6 inch	Pack	6	
	12 inch	Pack	6	
	18 inch	Pack	6	
8	Pad Lock 75mm	No.	10	
9	Grinding Disc 7 inch	No.	5	
10	Cutting Disc 7 inch	No.	5	
10	WD-40	No.	6	
11	Expending Foam (Botle)	No.	6	
12	Silicon Tube	No.	6	
13	White anamal Cloath (Malmal)	Mtr.	5	
14	Thinner (3Ltr)	Cane	5	
	Rawal Bolt 10 mm	No.	50	
16				
17	Cable 1.5 mm2 (Red,Yellow,Blue) (Make Pakistan, NewAge, Fast, Allied Cable)	Mtr.	270	
18	Cable 2.5 mm2(Red,Yellow,Blue) (Make Pakistan, NewAge, Fast, Allied Cable)	Mtr.	270	
19	Cable Gland For cable as given cable size			
17	1c-500 mm2	No.	5	
	3c-120 mm2	No.	5	
	1c-240 mm2	No.	5	
	1c-16 mm2	No.	5	
20	Thimble/Lugs	110.	5	
20	16 mm2	No.	50	
	20 mm2	No.	50	
	35 mm2	110.	50	
	240 mm2	No.	50	
21	HRC Fuse for Transformer 50 Amp. Make	No.	3	
21	(EFEN)	110.	5	
22	Stangullars for Transformer 200 Amp (COOPER POWER SYSTEM)	No.	3	
23	Heat Shrink Tube Lt (Red, yellow blue, black) for			
	1c x 240 mm sq	Each.	2	
	1c x 16mm sq.	Each.	2	
	1c x 35mm sq. cables	Each.	2	
24	Heat Shrink Tube HT For 3C X 120 mm sq 1C	Each.	10	
	X 500 mm.sq cables			
25	НТ Таре	No.	6	
26	HT Contact Greace	Jar	2	
27	PVC Tape ,Red,Yellow,Blue,Black color.	No.	24	
28	Waste Cotton	Kg.	80	
	TOTAL (Rs)			

Please follow the instructions /conditions given below:

1. Supplier must be registered with FBR for Income Tax / Sales Tax.





PUNJAB INDUSTRIAL ESTATES DEVELOPMENT AND MANAGEMENT COMPANY

- 2. The quotation should be sealed accompanied bid security of Rs. 19,600/- in shape of Bank guarantee / Pay Order/ Demand Draft / CDR in Favor of PIEDMC. Bid Security will be released to the unsuccessful bidders after issuance of Purchase Order to Lowest evaluated responsive bidder and that of lowest evaluated responsive bidder on supply of all the tools / equipment.
- 3. All procurement will be carried out as per PPRA rules 2014(amended up to date) Single Stage One Envelop procedure and Purchase Order will be issued to the lowest evaluated responsive bidder.
- 4. The product offered must meet all of the specifications attached with this RFQ failing which quotation will stand non-responsive. Documentary evidence for the fulfillment of above specifications must be attached with the quotation
- 5. Your quotation must be valid for minimum 120 days from bid opening date.
- 6. Delivery Schedule should be attached with quotation and shall not more than Thirty (30) days from the date of issuance of Purchase Order.
- 7. The price should be inclusive of all taxes, G.S.T and other levies applicable under law of Pakistan.
- 8. Supply, at Site Office, Bhalwal Industrial Estate, Bhalwal is sole responsibility of supplier. Moreover, supply will be rejected if not received as per specification.
- 9. In case of delay in completion of works against given/decided schedule 0.5% of final bid /day will be charged as liquidity damage and maximum up to 10% of Purchase Order amount.
- 10. Payment shall be made to the supplier through cross cheque / Pay Order as per mode given below.
 - a) 95% on full delivery at site after acceptance note, Payment invoice will be submitted with documents i.e. Warranty Certificate, Inspection certificate, Certificate of origin, Acceptance Note.
 - b) 05% after completion of warranty period/minimum one year.
- 11. Sealed quotations must be received on or before 10th June, 2021, by 1100 hours and will be opened on same day at 1130 Hrs. publically at PIEDMC Head Office Sunder Industrial Estate Rai-wind Road Lahore. Final Evaluated Lowest Responsive Bidder will be announced after the detail evaluation.





DEVELOPMENT AND MANAGEMENT COMPANY

SPECIFICATIONS OF ELECTRICAL MATERIALS REQUIRED FOR O&M AND NEW ELECTRICITY CONNECTIONS AT BHALWAL INDUSTRIAL ESTATE.

Sr #	Description	Specifications	
1	Termination Kits		
	1c-500 mm2 (Indoor H.T 15kV)		
	3c-120 mm2 (Indoor H.T 15kV)		
	3c-120 mm2 (Outdoor H.T 15kV)	WAPDA Approved	
2	Straight Throug Joint	Make Reychem-Germany, Elastimold-Egypt, 3M-USA	
	1c-500 mm2 (HT 15kV)	or Approved Equivalent	
	3c-120 mm2 (HT 15kV)		
	1c-240 mm2 (LT)	-	
	1c-16 mm2 (LT)	-	
3	Jacket Sleeve		
	1c-500 mm2		
	3c-120 mm2	- WAPDA Approved	
	1c-240 mm2		
4	Over Head Hardware		
	Earthing Rod		
	Earthing Wire 70mm.sq		
	Earth U-Clamp	WAPDA Approved and as per latest WAPDA	
	Stay Rod	specifications	
	PG Clamp T-220		
	T-Strain clamp		
5	SS Nut Bolt With Spring Washer		
	10X50 mm	-	
	10X35mm	As specified	
	6X60mm		
	6X30mm		
6	Street Light		
	Magnatic Contactor (40Amp)		
	Photo cell 230V (3Amp)	– Make EU/UK/USA/Japan	
	Breaker 40A Single pole	1	
7	Cable TIE		
	6 inch		
	12 inch	As specified	
	18 inch	1	
8	Pad Lock 75mm	As specified	
9	Grinding Disc 7 inch	Make EU/UK/USA/Japan	
10	Cutting Disc 7 inch		
11	WD-40	Size: Minimum 330ml per Pack	
12	Expending Foam (Bottle)	Size: Minimum 750ml per Pack	
13	Silicon Tube	Size: Minimum 300ml per Pack	





DEVELOPMENT AND MANAGEMENT COMPANY

15Thinner (3Ltr)As specified16Rawal Bolt 10 mmAs specified17Cable 1.5 mm2 (Red,Yellow,Blue)WAPDA Approved Make Newage cables/Pioneer Cables/Pakistan Cable/Fast Cable/ Allied Cable or approved equivalent.18Cable Gland For cable as given cable sizeCable Gland For cable as given approved equivalent.19cable sizeWAPDA Approved equivalent.10:500 mm2WAPDA Approved11:-240 mm2Uc-16 mm211:-240 mm2Copper20Thimble/Lugs16 mm2Copper20 mm2Copper240 mm2HRC Fuse for Transformer 50 Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER SYSTEM)21Amp. Make (EFEN) Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER SYSTEM)231c x 35mm sq. tables Heat Shrink Tube LT (Red, yellow blue, black) For 1c x 240mm sq. ta X 16mm sq and 12 ta X 35mm sq. cables231c x 35mm sq. cables4Heat Shrink Tube HT For 3C X 120 24 mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact Greace27color.28Waste Cotton28Waste Cotton28Waste Cotton28Waste Cotton29Maste Cotton20As specified	14	White anamal Cloath (Malmal)	As specified	
17Cable 1.5 mm2 (Red,Yellow,Blue)WAPDA Approved Make Newage cables/Pioneer Cables/Pakistan Cable/Fast Cable/ Allied Cable or approved equivalent.18Cable Gland For cable as given cable sizeapproved equivalent.19cable sizeapproved equivalent.10:500 mm2WAPDA Approved11:500 mm2WAPDA Approved11:240 mm2ac-120 mm211:20 mm2copper20Thimble/Lugs16fmm220 mm2Copper35 mm2copper240 mm2copper200 Amp. (COOPER POWER SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1 cx 240mm sq.1c x 16mm sq and 1 cx 35mm sq cablesHeat Shrink Tube HT For 3C X 120 exHeat Shrink Tube HT For 3C X 120 ex24mm sq.1C X 500 mm.sq cables25HT Tape26HT Contact Greace27color.28Waste Cotton28Waste Cotton29As specified	15	Thinner (3Ltr)	As specified	
18Cable 2.5 mm2(Red,Yellow,Blue)Cables/Pakistan Cable/Fast Cable/ Allied Cable or approved equivalent.18Cable Sizeapproved equivalent.19cable sizewAPDA Approved10:-500 mm2wAPDA Approved10:-240 mm210:-16 mm210:-16 mm2copper20Thimble/Lugs16 mm2copper20 mm2Copper35 mm2240 mm2HRC Fuse for Transformer 50Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER22SYSTEM)Heat Shrink Tube LT (Red,yellow) blue, black) For 1c x 240mm sq.1c x 16mm sq and 1c x 35mm sq cables231c X 35mm sq cablesHeat Shrink Tube HT For 3C X 120 24 H ms q1 C X 500 mm.sq cables25HT Tape26HT Contact Greace27Size: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified	16	Rawal Bolt 10 mm	As specified	
18Cable 2.5 mm2(Red,Yellow,Blue) approved equivalent.19Cable Gland For cable as given cable sizeapproved equivalent.19Cable Sizewapped equivalent.10-240 mm2wapped equivalent.wapped equivalent.10-240 mm2wapped equivalent.wapped equivalent.20Thimble/Lugswapped equivalent.wapped equivalent.20Thimble/Lugscoppercopper35 mm2coppercopper240 mm2HRC Fuse for Transformer 50copper21Amp. Make (EFEN)approved equivalent.Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER blue, black) For 1 c x 240mm sq.1c x 16mm sq and 1 c x 35mm sq cablesAs per WAPDA Specification231c x 35mm sq cablesapproved equivalent.Heat Shrink Tube HT For 3C X 120 24 Hm sq 1C X 500 mm.sq cablesapproved equivalent.25HT Tapeapproved equivalent.26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified	17	Cable 1.5 mm2 (Red,Yellow,Blue)	WAPDA Approved Make Newage cables/Pioneer	
Cable Gland For cable as given cable sizeV19cable size1c-500 mm2 3c-120 mm2WAPDA Approved1c-240 mm21c-16 mm21c-16 mm2Copper20Thimble/Lugs16 mm2Copper20 mm2Copper35 mm2Copper240 mm2HRC Fuse for Transformer 5021Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER SYSTEM)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER 3 for 1 c x 240mm sq.1c x 16mm sq and 1 c x 35mm sq cablesHeat Shrink Tube LT (Red,yellow blue, black) For 1 c x 240mm sq.1c x 16mm sq and 1 C x 500 mm.sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1 C X 500 mm.sq cablesHeat Shrink Tube HT For 3C X 120 cablesHeat Shrink Tube HT For 3C X 120 mm sq 1 C X 500 mm.sq cables25HT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape , Red, Yellow, Blue, Black color.28Waste CottonAs specified			Cables/Pakistan Cable/Fast Cable/ Allied Cable or	
19cable size1c-500 mm2WAPDA Approved1c-240 mm21c-16 mm21c-16 mm2Copper20Thimble/Lugs16 mm2Copper20 mm2Copper35 mm2Copper240 mm2HRC Fuse for Transformer 5021Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER 200 Amp (COOPER POWER 200 Amp (COOPER POWER 21 SYSTEM)22SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240m sq.1c x 16mm sq and 1c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact Greace25HT Tape26HT Contact Greace27color.28Waste Cotton28Waste Cotton	18	Cable 2.5 mm2(Red,Yellow,Blue)	approved equivalent.	
1c-500 mm2WAPDA Approved1c-240 mm21c-16 mm21c-16 mm2copper20Thimble/Lugs16 mm2copper20 mm2Copper35 mm2copper240 mm2HRC Fuse for Transformer 504 mp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER 22 SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq.1c x 16mm sq and 1c x 35mm sq cablesAs per WAPDA SpecificationHeat Shrink Tube HT For 3C X 120mm sq 1C X 500 mm.sq cablesHT Tape26 HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified		Cable Gland For cable as given		
3c-120 mm2WAPDA Approved1c-240 mm21c-240 mm21c-16 mm2copper20Thimble/Lugs16 mm2copper20 mm2Copper35 mm2240 mm2240 mm2HRC Fuse for Transformer 5021Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER 22 SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq, 1c x 16mm sq and 1c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cables26HT Contact Greace25HT Tape26HT Contact Greace27color.28Waste Cotton28Waste CottonAs specified	19	cable size		
3C-120 mm2 1c-16 mm2 20 Thimble/Lugs 16 mm2 20 mm2 35 mm2 240 mm2 HRC Fuse for Transformer 50 21 Amp. Make (EFEN) Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER SYSTEM) Heat Shrink Tube LT (Red, yellow blue, black) For 1c x 240mm sq, 1c x 16mm sq and 1c x 35mm sq cables Heat Shrink Tube HT For 3C X 120 Heat Shrink Tube HT For 3C X 120 Ams q 1C X 500 mm.sq cables PVC Tape ,Red, Yellow,Blue,Black color. As specified As specified			WARDA Approved	
1c-16 mm220Thimble/Lugs16 mm220 mm235 mm2240 mm2HRC Fuse for Transformer 5021Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER22SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq and 1 c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified		3c-120 mm2		
20Thimble/Lugs16 mm220 mm235 mm2240 mm2HRC Fuse for Transformer 50Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER22SYSTEM)Heat Shrink Tube LT (Red, yellow blue, black) For 1c x 240mm sq, 1c x 16mm sq and 1 c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified				
16 mm220 mm235 mm2240 mm2HRC Fuse for Transformer 50Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER22SYSTEM)Heat Shrink Tube LT (Red, yellow blue, black) For 1 c x 240mm sq, 1c x 16mm sq and 1 c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specifiedAs specified		1c-16 mm2		
20 mm2Copper35 mm2240 mm2HRC Fuse for Transformer 50Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER22SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq and 1c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHT Tape26HT Contact GreacePVC Tape ,Red,Yellow,Blue,Black color.As specifiedAs specified	20			
35 mm2240 mm2HRC Fuse for Transformer 50Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER 200 Amp (COOPER POWER22SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq and 1c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesH26HT Contact GreacePVC Tape ,Red,Yellow,Blue,Black color.As specifiedAs specified				
240 mm2HRC Fuse for Transformer 50Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER 200 Amp (COOPER POWER SYSTEM)SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq and 1c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesHT TapeHT Contact GreacePVC Tape ,Red,Yellow,Blue,Black color.PVC Tape ,Red,Yellow,Blue,Black color.As specifiedHas breified			Copper	
HRC Fuse for Transformer 50Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER22SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq and 23As per WAPDA Specification231c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesAs size: Minimum 1kg per pack25HT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified				
21Amp. Make (EFEN)Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER22SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq and 1c x 35mm sq cablesAs per WAPDA Specification231c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cablesArc Stop mm.sq cables25HT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified				
Arc Stangler Fuse for Transformer 200 Amp (COOPER POWER SYSTEM)As per WAPDA Specification22SYSTEM)Heat Shrink Tube LT (Red, yellow blue, black) For 1c x 240mm sq,1c x 16mm sq and 1c x 35mm sq cablesAs per WAPDA Specification231c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 24 mm sq 1C X 500 mm.sq cablesAs per WAPDA Specification24Mm sq 1C X 500 mm.sq cablesSize: Minimum 1kg per pack25HT TapeSize: Minimum 1kg per pack26HT Contact GreaceSize: Minimum 1kg per pack27color.As specified28Waste CottonAs specified				
200 Amp (COOPER POWER SYSTEM)22SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq and 1 c x 35mm sq cablesAs per WAPDA Specification231c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 24 24Heat Shrink Tube HT For 3C X 120 mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified	21			
22SYSTEM)Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq andAs per WAPDA Specification231c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 24 mm sq 1C X 500 mm.sq cablesAs per WAPDA Specification25HT Tape26HT Contact GreaceSize: Minimum 1kg per pack27color.As specified28Waste CottonAs specified		5		
Heat Shrink Tube LT (Red,yellow blue, black) For 1c x 240mm sq,1c x 16mm sq andAs per WAPDA Specification231c x 35mm sq cablesHeat Shrink Tube HT For 3C X 12024mm sq 1C X 500 mm.sq cablesHeat Shrink Tube HT For 3C X 12025HT TapeSize: Minimum 1kg per pack26HT Contact GreaceSize: Minimum 1kg per pack27color.As specified28Waste CottonAs specified				
blue, black) For 1c x 240mm sq,1c x 16mm sq and 1c x 35mm sq cablesAs per WAPDA Specification231c x 35mm sq cablesHeat Shrink Tube HT For 3C X 120 24mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact GreacePVC Tape ,Red,Yellow,Blue,Black color.Size: Minimum 1kg per pack27color.28Waste Cotton	22	-		
Dide, black) For 1c x 240mm sq,1c x 16mm sq and 1c x 35mm sq cablesHeat Shrink Tube HT For 3C X 12024mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified			As per WAPDA Specification	
231c x 35mm sq cablesHeat Shrink Tube HT For 3C X 12024mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact Greace26Size: Minimum 1kg per pack27color.28Waste CottonAs specified				
Heat Shrink Tube HT For 3C X 12024mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified	22			
24mm sq 1C X 500 mm.sq cables25HT Tape26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified	25			
25 HT Tape 26 HT Contact Greace Size: Minimum 1kg per pack PVC Tape ,Red,Yellow,Blue,Black As specified 27 color. As specified 28 Waste Cotton As specified	24			
26HT Contact GreaceSize: Minimum 1kg per packPVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified				
PVC Tape ,Red,Yellow,Blue,Black color.As specified28Waste CottonAs specified			Size: Minimum 1kg per pack	
27 color. As specified 28 Waste Cotton As specified	20			
28 Waste Cotton As specified	27		As specified	
			As specified	
I Code Punch Machine With Alpha		Code Punch Machine With Alpha	· ·	
29 Bets (A to Z & 0 to 9) As specified	29		As specified	

